



## CONTACT US

W Teza Global Solutions LTDA

---

Web: [www.conutway-teza.com.br](http://www.conutway-teza.com.br)

Adress: Avenida Jane Maria Martins,775. Jardim Marileia ,Rio das Ostras, Rio de Janeiro, Brazil.



# CONSTRUCTION MACHINERY

One-stop solution for construction machinery



## MINI EXCAVATOR

Multifunctional small excavator, 0.6-8 tons, to meet your various construction needs



NM-E06		NM-E08		NM-E08pro	
Engine	Loncin	Engine	Koop	Engine	LCT
Operating Weight	0.6ton	Operating Weight	0.8ton	Operating Weight	0.8ton
Rated Power	9.2hp	Rated Power	10hp	Rated Power	6.5kw
Digging Depth	1100mm	Digging Depth	1300mm	Digging Depth	1200mm
Machine Width	690mm	Machine Width	780mm	Bucket Capacity	0.013 <sup>3</sup>



NM-E10		NM-E10pro		NM-E12	
Engine	Koop	Engine	Koop	Engine	Koop
Operating Weight	1ton	Operating Weight	1ton	Operating Weight	1.2ton
Rated Power	10hp	Rated Power	10hp	Rated Power	10hp
Digging Depth	1630mm	Digging Depth	2000mm	Digging Depth	1626mm
Machine Width	930mm	Machine Width	860mm	Machine Width	850mm



NM-E12a		NM-E12pro		NM-E12plus	
Engine	Koop	Engine	Koop	Engine	Koop
Operating Weight	1.2ton	Operating Weight	1.2ton	Operating Weight	1.2ton
Rated Power	10hp	Rated Power	10hp	Rated Power	10hp
Digging Depth	1436mm	Digging Depth	1630mm	Digging Depth	1600mm
Machine Width	934mm	Machine Width	930mm	Machine Width	940mm



NM-E15		NM-E15pro		NM-E15plus	
Engine	Koop	Engine	Kubota	Engine	Kubota
Operating Weight	1.5ton	Operating Weight	1.5ton	Operating Weight	1.5ton
Rated Power	10hp	Rated Power	10.2kw	Rated Power	10.2kw
Digging Depth	1800mm	Bucket Capacity	0.018m <sup>3</sup>	Digging Depth	1600mm
Machine Width	1100mm	Machine Width	1100mm	Machine Width	1100mm

# MINI EXCAVATOR

Multifunctional small excavator, 0.6-8 tons, to meet your various construction needs



NM-E18		NM-E18u		NM-E18a	
Engine	Laidong385/Kubota	Engine	Laidong385/Kubota	Engine	Laidong385
Operating Weight	1.8ton	Operating Weight	1.8ton	Operating Weight	1.8ton
Rated Power	29kw/10.6kw	Rated Power	39hp/10.2kw	Rated Power	18.1kw
Digging Depth	1900mm	Digging Depth	2000mm	Digging Depth	2000mm
Machine Width	1200mm	Machine Width	1150mm	Machine Width	1100mm



NM-E18pro		NM-E20		NM-E20a	
Engine	Laidong385	Engine	Laidong385/Kubota	Engine	Changchai390
Operating Weight	1.8ton	Operating Weight	2ton	Operating Weight	2ton
Rated Power	39hp	Rated Power	39hp/10.2kw	Rated Power	30hp
Digging Depth	2000mm	Digging Depth	2000mm	Digging Depth	1900mm
Machine Width	1150mm	Machine Width	1150mm	Machine Width	1200mm



NM-E25		NM-E25pro		NM-E25u	
Engine	Laidong385	Engine	Changchai390	Engine	Changchai/Kubota
Operating Weight	2.5ton	Operating Weight	2.5ton	Operating Weight	2.5ton
Rated Power	30hp	Rated Power	20kw	Rated Power	21kw/14.2kw
Digging Depth	2241mm	Digging Depth	2915mm	Digging Depth	2600mm
Machine Width	1100-1400mm	Machine Width	1350mm	Machine Width	1300mm



NM-E30		NM-E30pro		NM-E30plus	
Engine	Changchai390	Engine	Changchai390	Engine	Kubota D1105
Operating Weight	3ton	Operating Weight	3ton	Operating Weight	3ton
Rated Power	20kw	Rated Power	20kw	Rated Power	18.2kw
Digging Depth	3260mm	Digging Depth	2724mm	Digging Depth	2830mm
Machine Width	1350mm	Machine Width	1500mm	Machine Width	1550mm



NM-E35		NM-E40		NM-E40sr	
Engine	Xinchai	Engine	Kubota1703	Engine	Yanmar
Operating Weight	3.5ton	Operating Weight	4ton	Operating Weight	4ton
Rated Power	36.8kw	Rated Power	18.5kw	Rated Power	19.6kw
Digging Depth	2500mm	Digging Depth	3071mm	Digging Depth	2880mm
Machine Width	1500mm	Machine Width	1700mm	Machine Width	1550mm



NM-E45		NM-E65		NM-E80	
Engine	Kubota	Engine	Yanmar/Kubota	Engine	Yanmar
Operating Weight	4.5ton	Operating Weight	6.5ton	Operating Weight	8ton
Rated Power	18.2kw	Rated Power	36.3kw/42.5kw	Rated Power	54.3kw
Digging Depth	3208mm	Digging Depth	2845mm	Digging Depth	4038mm
Machine Width	1755mm	Machine Width	2000mm	Machine Width	2300mm

## ELECTRIC EXCAVATOR


Green and environmentally friendly, high efficiency and energy saving.



NM-E08 ELEC		NM-E10 ELEC		NM-E25 ELEC	
Operating Weight	0.8ton	Operating Weight	1ton	Operating Weight	2.5ton
Bucket Capacity	0.025m <sup>3</sup>	Bucket Capacity	0.025m <sup>3</sup>	Bucket Capacity	0.04m <sup>3</sup>
Electric Motor	220V/380V	Electric Motor	220V/380V	Battery	72V200AH
Lithium Battery	72V/140AH	Lithium Battery	72V/140AH	Digging Height	3400mm
Digging Depth	1300mm	Digging Depth	1350mm	Digging Depth	2350mm

## HOT SELLING ACCESSORIES

Excavator accessories make your excavator more powerful



# SKID STEER LOADER

Flexible steering, unimpeded travel in narrow spaces



## Automatic leveling function

Compared with the mini skid, the three-arm design can keep the bucket balanced during operation, making operation simpler and more convenient.



AUTOMATIC LEVELING

T320		T330	
Engine	Rato	Engine	Rato
Power	13.5hp	Power	13.5hp
Machine Weight	720kg	Total Width	960mm
Vehicle Height	1390mm	Rated Speed	3200rpm
Rated Load	320kg	Rated Load	330kg
Bucket Capacity	0.06m <sup>3</sup>	Bucket Capacity	0.15m <sup>3</sup>
Speed	0-6km/h	Speed	0-5km/h



3-point loader		T380		S390	
Engine	Briggs & Stratton	Engine	Koop	Engine	Rato
Power	13.5kw	Power	23hp	Power	15hp
Rated Load	350kg	Tire Model	20*10.0-10	Number Of Cylinders	1
Max. Dump Distance	746mm	Rated Speed	3600rpm	Operating Height	2470mm
Travel Speed	12km/h	Rated Load	380kg	Width	970mm
Max. Operating Height	2241mm	Bucket Capacity	0.15m <sup>3</sup>	Operating Weight	390kg
Max. Unloading Height	1519mm	Speed	0-6km/h	Travel Speed	0-5.5km/h



AUTOMATIC LEVELING



AUTOMATIC LEVELING



S480		T480		T650	
Engine	Briggs & Stratton	Engine	Briggs & Stratton	Engine	Xinchai
Power	23hp	Power	23hp	Power	75hp
Total Width	1050mm	Total Width	1060mm	Total Width	1782mm
Rated Speed	3200rpm	Rated Speed	3200rpm	Dead Weight	3300kg
Rated Load	480kg	Rated Load	480kg	Operating Height	3987mm
Bucket Capacity	0.17m <sup>3</sup>	Bucket Capacity	0.17m <sup>3</sup>	Bucket Capacity	0.5m <sup>3</sup>
Speed	0-5km/h	Speed	0-5km/h	Speed	10km/h

## ELECTRIC LOADER

Strong power, long-lasting battery life



E04		E04pro	
Rated Load	400kg	Rated Load	400kg
Unloading Height	1700mm	Unloading Height	1350mm
Lifting Height	2300mm	Lifting Height	2100mm
Machine Weight	650kg	Machine Weight	900kg
Power	Water Battery	Bucket Capacity	0.2m <sup>3</sup>



E05		E10	
Rated Load	500kg	Rated Load	1000kg
Unloading Height	1900mm	Unloading Height	2000mm
Lifting Height	2500mm	Lifting Height	3400mm
Machine Weight	750kg	Machine Weight	2360kg
Power	Water Battery	Bucket Capacity	0.4m <sup>3</sup>

## DIESEL LOADER

Improving work efficiency starts with choosing a diesel loader



D904		D06	
Rated Load	400kg	Rated Load	600kg
Unloaded Height	1700mm	Unloading Height	1700mm
Lifting Height	2200mm	Machine Weight	1700kg
Machine Weight	700kg	Engine	Kubota
Power	18hp	Power	18.2hp



D130		H180	
Rated Load	1300kg	Working Weight	2000kg
Max. Load	1500kg	Tipping Load	850kg
Max. Driving Speed	12Km/h	Rated Load	1000kg
Engine	Kubota	Hydraulic Oil Tank Capacity	30L
Tire	10,0/75-15.3/400/60-15.5	Diesel Oil Tank Capacity	30L

# LOADER

More flexible operation and more powerful power



920pro		940		958	
Unloading Height	2.4-3.2m	Unloading Height	3.5-4.2m	Unloading Height	3.5-4.5m
Rated Load	1.2ton	Rated Load	1.8ton	Rated Load	2.5ton
Bucket Capacity	0.3-0.5m <sup>3</sup>	Bucket Capacity	0.8-1.2m <sup>3</sup>	Bucket Capacity	1-1.5m <sup>3</sup>
Engine	Yunnei	Engine	Huajie4102/Yunnei490	Engine	Yunnei4108
Dimension	4650*1500*2200mm	Dimension	6100*2000*2725mm	Dimension	6300*2000*2725mm



946		30		50	
Unloading Height	3.5m	Rated Load	3ton	Rated Load	5ton
Bucket Capacity	0.6m <sup>3</sup>	Bucket Capacity	1.5-2.5m <sup>3</sup>	Bucket Capacity	3m <sup>3</sup>
Rated Load	1.5ton	Engine	Weichai	Engine	Weichai
Engine	Weichai	Machine Weight	10110kg	Machine Weight	16800kg
Dimensions	6000*2000*2850mm	Rated Power	92kw	Unloading Distance	1260mm

# HOT SELLING ACCESSORIES

Loader accessories to meet your various needs



Grass Grabber



Wood Grabber



Quick Hitch



6 in 1 Bucket



Screen Bucket



Forklift Fork



Wooden Fork



Snow Shovel



Snowplow



Bulldozer



Mixing Bucket



Snow Blower



Hammer



Auger



Direct Digging

# BACKHOE LOADER

Dig and load, switch easily!



08-12		50A	
Engine	Yunnei490	Engine	Laidong385
Rated Load	1ton	Rated Load	1.2ton
Digging Depth	1500mm	Depth Of Excavation	1600mm
Unloading Height	2200mm	Unload Height	2200mm
Bucket Capacity	0.4m <sup>3</sup>	Bucket Capacity	0.8m <sup>3</sup>



10-20		28-20	
Engine	Yunnei 25GB	Engine	YUNNEI 33GBZ Turbo
Rated Load	1.4ton	Rated Load	2.5ton
Digging Depth	2000mm	Digging Depth	2500mm
Unloading Height	2800mm	Unloading Height	3300mm
Bucket Capacity	0.5m <sup>3</sup>	Bucket Capacity	1m <sup>3</sup>



30-25		40-28A	
Engine	Yunnei turbocharged	Engine	YTO 4A2Z-G93Q-1
Rated Load	2.1ton	Rated Load	2.5ton
Digging Depth	4000mm	Digging Depth	4100mm
Unloading Height	3500mm	Unloading Height	2800mm
Bucket Capacity	1m <sup>3</sup>	Bucket Capacity	1.3m <sup>3</sup>



40-28H		40-30	
Engine	Yunnei	Engine	YUCHAI
Rated Load	2.5ton	Rated Load	2.8ton
Digging Depth	4100mm	Digging Depth	3820±20 mm
Unloading Height	2800mm	Unloading Height	3050±50 mm
Bucket Capacity	1.3m <sup>3</sup>	Bucket Capacity	1.2m <sup>3</sup>

# HANDLING EQUIPMENT

Material Handling Solutions



## ELECTRIC FORKLIFT

Efficient handling, safe and reliable



0.5ton 3tires		1ton		1.2ton 3tires	
Walking Motor	1500w	Walking Motor	3000w	Walking Motor	4000w
Lifting Motor	2000w	Lifting Motor	1200w	Lifting Motor	4000w
Weight	800kg	Weight	1550kg	Weight	1900kg
Load	0.5ton	Load	1ton	Load	1.2ton
Max.Lifting Height	2m	Max.Lifting Height	3m	Max.Lifting Height	3m



1.5ton		1.6ton 3tires		2ton	
Walking Motor	3000w	Turning Radius	1680mm	Load	2000kg
Lifting Motor	3000w	Wheelbase	1480mm	Load Center Distance	500mm
Weight	2400kg	Weight	2500kg	Free Lifting Height	140mm
Load	1.5ton	Load	1.6ton	Lifting Height	3000mm
Max.Lifting Height	3m	Driving Wheel Track	950mm	Overall Width	1210mm



3ton (Upgraded Version)		3ton (Electronic Control)		3.5ton	
Load	3000kg	Load	3000kg	Walking Motor	10000w
Load Center Distance	500mm	Load Center Distance	500mm	Lifting Motor	8000w
Free Lifting Height	140mm	Free Lifting Height	140mm	Weight	4700kg
Lifting Height	3000mm	Lifting Height	3000mm	Load	3.5ton
Overall Width	1210mm	Overall Width	1210mm	Max.Lifting Height	3m



4ton		5ton		6ton	
Walking Motor	18000w	Walking Motor	16500w	Walking Motor	25000w
Lifting Motor	14000w	Lifting Motor	21000w	Lifting Motor	22500w
Weight	5100kg	Weight	6300kg	Weight	8200kg
Load	4ton	Load	5ton	Load	6ton
Max.Lifting Height	3m	Max.Lifting Height	3m	Max.Lifting Height	3m

## DIESEL FORKLIFT

A powerful assistant for heavy lifting



1.5ton		2ton		3ton	
Engine	Xinchai490	Engine	Huajie490	Engine	Xinchai
Power	32kw	Power	22hp	Power	36.8KW
Machine Weight	2660kg	Machine Weight	2200kg	Machine Weight	4200kg
Ground Clearance	110mm	Ground Clearance	250mm	Machine Width	1225mm
Battery	12V80AH	Fork	1.07m	Battery	12V/80Ah
Min. Turning Radius	1955mm	Min. Turning Radius	2400mm	Min. Turning Radius	2390mm
Lifting Height	3m	Lifting Height	3m	Lifting Height	3m
Rated Load	1.5ton	Rated Load	2ton	Rated Load	3ton



3.5ton		4ton		5ton	
Engine	Xinchai495	Engine	Xinchai495	Engine	Xinchai4D32G31
Power	42kw	Power	42kw	Power	48kw
Min. Turning Radius	2550mm	Min. Turning Radius	2800mm	Min. Turning Radius	2680mm
Max. Driving Speed	20km/h	Max. Driving Speed	19km/h	Max. Driving Speed	22km/h
Fuel Tank Capacity	60L	Fuel Tank Capacity	60L	Groud Clearance	135mm
Battery	12V/80Ah	Battery	12V/100Ah	Total Width	1380mm
Lifting Height	3m	Lifting Height	3m	Lifting Height	3m
Rated Load	3.5ton	Rated Load	4ton	Rated Load	5ton

## ROUGH TERRAIN FORKLIFT

Suitable for outdoor environments such as construction sites, mines, farms, etc.



1.5ton		2ton		3ton	
Engine	Yunnei/Xichai 490	Engine	Yunnei/Xichai 490	Engine	Yunnei/Xichai 490
Door Frame Thickness	12cm	Door Frame Thickness	14.5cm	Door Frame Thickness	14.5cm
Lifting Height	3-7 m (can be customized)	Lifting Height	3-7 m (can be customized)	Lifting Height	3-7 m (can be customized)
Handle	Single lever operation	Handle	Single lever operation	Handle	Single lever operation
Brake	Air brake	Brake	Air brake	Brake	Air brake
Tire	20.5/70-16	Tire	20.5/70-16	Tire	20.5/70-16
Vehicle Weight	1700kg	Vehicle Weight	3500kg	Vehicle Weight	3500kg

## STACKER

Flexible stacker, can move freely in narrow spaces



Hand Pallet Truck		Semi-Electric Stacker		Fully Electric Stacker	
Rated Load	2000-5000kg	Rated Load	1000-2000kg	Rated Load	1000/1200kg
Fork Size	1150(1120)*160*50	load Center	500mm	Load Center	400mm
Lifting Height	200mm	Lifting Height	1600-3500mm	Lifting Height	900-1500mm
Self-weight	50-130kg	Battery	24V/120AH*2pcs	Battery	48V/25AH (optional 30AH)

# AGRICULTURAL EQUIPMENT

Modern agricultural equipment helps efficient production



## TRACTOR

Easily cope with all kinds of terrain, unimpeded travel



151 Chassis	15HP	Mini Tractor
Single cylinder	Tire 6.0-14	Tire 6.0-12/9.5-16
Hand crank/electric start	101 Chassis	101 Chassis
Tire 6.0-12	Water cooling/condensing	Gear 6+2
Gear position 6F+2R	Electric start	Battery 45A/60A



12-22HP	TY504	TY 25-50HP
Electric start	4 wheel drive	4 wheel drive
Tire 6.0-12/9.5-16	TY8F+2R gearbox	TY8F+2R gearbox
Single cylinder,water-cooled	Tire 6.0-16/9.5-24	Tire 6.00-16/9.5-24
horizontal,4-stroke	PTO 540/720	PTO 540/720



TY 25-50HP	TE 25-80HP	TB 50-100HP
4 wheel drive	4 wheel drive	4WD,TB12F+12R gearbox
TY8F+2R gearbox	TE8F+2R gearbox	Powerful up and downshifting
Tire 6.00-16/9.5-24	Tire 7.50-16/11.2-28	Dual hydraulic outputs
Wheelbase 1.2m	PTO 540/720	Tire 8.3-24/14.9-30



TD 120-150HP	TF 120-160HP	TG 180-260HP
4 wheel drive	4 wheel drive	4 wheel drive
TD16F+8R gearbox	TF16F+8R gearbox	TG16F+16R gearbox
Strong lifting and lowering system	Powerful up and downshifting	Powerful lifting and lowering
Three sets of hydraulic output	Three hydraulic outputs	Three hydraulic outputs
Tire 12.4-24/16.9-34	Tire 14.9-26/18.4-38	Tire 16.9-28/20.8-38

# TRACTOR **EURO 5** **COC** **EPA** **EMARK**

Multiple authoritative certifications



25HP	TE504
4WD Perkins 403F-11 EPA engine	Laidong Euro 5 4-cylinder engine
Class I suspension	9-inch double-acting clutch
Continuously variable transmission 2F+2R automatic	TE8+8-speed synchronizer gearbox
PTO six-button, speed 540/1000	PTO540/1000
Two sets of hydraulic output	Two sets of hydraulic output
Tires 6.00-12/11.2-20	Radial tire 260/70R16+320/85R24
Front and rear weight 48/0kg, wheelbase 1m	Front fender, rear counterweight 31*2



YTO 100 HP	125 HP
Euro 5 , 4-cylinder engine	Euro 5 , 4-cylinder engine
12-inch double-acting clutch	14-inch double-acting clutch
TF gearbox 16F+8R shuttle shift	TF gearbox 16F+8R shuttle shift
PTO (540/1000 six-button)	PTO (540/1000 six-button)
Three sets of hydraulic output	Three sets of hydraulic output
340/85R24, 420/85R34 radial tires	340/85R24, 420/85R34 radial tires
Front counterweight 44*8, rear counterweight 43*4	Front 44*10, rear counterweight 43*8

# CRAWLER TRACTOR

Super strong passability, smooth travel on muddy mountains



	25HP	35HP	35HP
Model	Paddy field	Dryland	Dryland+Digger
Engine	Quanchai	Quanchai	Quanchai
Machine Weight	750kg	750kg	1062kg
Fuel Consumption	1-2 liters/mu	1-2 liters/mu	1-2 liters/mu
Transmission Mode	Belt drive	Belt drive	Belt drive
Gears	3 forward gears, 1 reverse gear	3 forward gears, 1 reverse gear	3 forward gears, 1 reverse gear, 8 gears in total including high and low speed



	50-60HP	80-130HP	80-130HP
Model	Paddy field + dryland	Paddy field + dryland	Paddy field + dryland
Engine	Laidong	Laidong	Laidong/Hengzhuo 495
Machine Weight	1500kg	2000kg	2000kg
Fuel Consumption	2-3 liters/mu	3-4 liters/mu	3-4 liters/mu
Transmission Mode	Shaft drive	Hydraulic shaft drive	Hydraulic shaft drive
Gears	4 forward gears, 1 reverse gear 10 gears in total for high and low speeds	4 forward gears, 1 reverse gear 10 gears in total for high and low speeds	4 forward gears, 1 reverse gear 10 high and low speed gears in total

# TIMBER CRANE WITH TRAILER

Ideal for lifting, handling and transporting long logs and firewood with speed and precision

## TRAILER



3 TON



6 TON



8 TON



10 TON



12/14 TON

## LOG GRAB



4.2M



5M



5.5M



6M



7M

## CAN CHOOSE TO MATCH (LOG GRAB+TRAILER)



# MORE PRODUCTS

One-stop machine solution, just in Nuoman Machinery



Lawn Mower



Mini Weeding Machine



Wood Splitter



Wood Chippers



Laser Leveler



Walking Roller



Road Roller



Lifting Platform



Hand Power Trowel



Ride Power Trowel



Mortar Spraying



Frame Leveler



Concrete Mixer



Concrete Pump



Mini Dumper



Spider Digger



Cold Spray Marking



Hot Road Marking



Epoxy Floor



Tank Forklift